



1. CHEMICAL PRODUCT/COMPANY IDENTIFICATION

Name: MS-124H Product Use: Connector Lubricant

DPMS D0521A Connector Lubricant

MANUFACTURER/DISTRIBUTOR:

Emergency Phone Number: (800) 424-9300

Miller-Stephenson Chemical 55 Backus Ave. Danbury, Conn. 06810 USA (203) 743-4447

2. HAZARDS IDENTIFICATION

Hazard classification

Serious Eye Damage/Irritation: Category 2B.

Specific Target Organ Toxicity (central nervous system): Category 3.

Label elements:

Signal word

Warning

Symbols

Exclamation mark

Pictograms



Hazard Statements

Causes eye irritation.

May cause drowsiness or dizziness.

Precautionary Statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use in a well-ventilated area.

Wash thoroughly after handling.

Pressurized container: Do not pierce or burn, even after use.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Inhalation: Remove person to fresh air and keep comfortable for breathing.

Eye: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Call a POISON CENTER or doctor/physician if you feel unwell.

3. INGREDIENTS

Material (s)	CAS No.	Approximate %
1,1,1,2-Tetrafluoroethane	811-97-2	18 – 22
1,2-Trans-dichloroethylene	156-60-5	68 - 75
Methyl Nonafluorobutyl Ether	163702-07-6	1 - 7
Methyl Nonafluoroisobutyl Ether	163702-08-7	1 - 7
Polyphenyl Ether	2455-71-2	1 - 2

4. FIRST AID MEASURES

Inhalation: Remove patient to fresh air. Get medical attention if necessary.

Eye: Flush with large amounts of water for at least 15 minutes, lifting eyelids until no evidence of the chemical remains. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

Skin: Remove contaminated clothing. Wash with soap and water. Get medical attention if necessary. Wash contaminated clothing and shoes before reuse.

Oral: Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention.

Notes to Physician: Treatment of exposure should be directed at the control of symptoms and the clinical condition of the

patient.

5. FIRE FIGHTING MEASURES

Flammability: This product is not flammable. Test Method: Ignition distance test and Enclosed space ignition test

Autoignition Temperature: Not Determined Flammable Limits in Air, % by Vol.: None detected

Decomposition temperature: Not available

Extinguishing Media: Non-combustible. Use a fire fighting agent suitable for surrounding fire such as water or foam to extinguish.

Special hazards arising from the substance or mixture: Exposure to extreme heat can give rise to thermal decomposition.

Hazardous Decomposition or By-Products

SubstanceConditionCarbon monoxideDuring CombustionCarbon dioxideDuring Combustion

Special Fire Fighting Instruction: Exposure to extreme heat can give rise to thermal decomposition and Self-

contained breathing apparatus (SCBA) and full protective equipment are required.

6. ACCIDENTAL RELEASE MEASURES

Evacuate area. Ventilate area with fresh air. For a spill in confined areas, provide mechanical ventilation to disperse the vapors. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Contain spill. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water. Absorb spill with vermiculite or commercially available inorganic absorbent material. Collect as much of the spilled material as possible and place in a closed container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

7. HANDLING AND STORAGE

Handling: Use in a well-ventilated area to avoid breathing vapors. Vapors are heavier than air and accumulate in low areas. Use only with adequate ventilation. Where ventilation is inadequate, use appropriate respiratory protection. Avoid contact with skin or eyes. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling. Avoid release in the environment. Avoid contact with oxidizing agents (chlorine, chromic acid etc.).

Storage Conditions: Store in well-ventilated area. Keep container tightly sealed. Do not store near sources of heat, in direct sunlight or where temperatures exceed 120°F/49°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:	TWA (ACGIH)	TWA (OSHA)	TWA (AIHA)
1,2-Trans-Dichoroethylene Methyl Nonafluorobutyl Ether Methyl Nonafluoroisobutyl Ether	200 ppm Not Established Not Established	200 ppm Not Established Not Established	750ppm 750 ppm
1,1,1,2-Tetrafluoroethane	Not Established	Not Established	

Respiratory Protection: Avoid breathing vapors, mists or spray. If necessary to keep exposure limits below permissible limits, use

NIOSH approved respirators, such as an air-purifying respirator for organic vapors. In poorly ventilated

areas use an approved self-contained breathing apparatus.

Eye Protection: Avoid eye contact. Use chemical goggles or safety glasses with side shields.

Skin Protection: Avoid contact with skin. Use gloves chemically resistant to this material when prolonged or frequently repeated

contact occurs. Gloves made of Fluoroelastomer or Polymer laminate are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N.A. Percent Volatile by Volume: 99%

Density: 1.27 gm/cc at 70°F/21°C **Vapor Pressure:** 405 mmHg at 77°F/25°C

Vapor Density (Air=1): >1 Solubility in H₂O: Slight

pH Information: Neutral Evaporation Rate (CC14=1): N.A.

Form: Aerosol Appearance: Clear

Color: Clear-Colorless Odor: Slight odor

10. STABILITY AND REACTIVITY

Stability: Stable.

Material and Conditions to Avoid: Exposure to elevated temperatures. Strong bases and strong oxidizing agents.

Decomposition: Hydrogen Chloride, Hydrogen-Fluoride, Perfluoroisobutylene (PFIB), toxic vapors, gases or particulate may be

products of thermal decomposition. (See section 5 for hazardous decomposition products during combustion).

Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Methyl Nonafluorobutyl Ether

Acute Toxicity

Ingestion: LD50 > 5,000 mg/kg, Rat **Inhalation:** LC50 > 1,000 mg/l, 4 h, Rat

Skin Corrosion/Irritation: No significant irritation in Rabbits **Serious Eye Damage/Irritation:** No significant irritation in Rabbits

Sensitization Skin: Not sensitizing in Guinea pigs

Sensitization Respiratory: Data not available or insufficient for classification

Germ Cell Mutagenicity: In vitro and In vivo – Not Mutagenic **Carcinogenicity:** Data not available or insufficient for classification

Reproductive and/or Developmental Toxicity: Not toxic to female or male reproduction in rats. Some positive developmental data exist, but the data are not sufficient for classification.

Repeated Dose Toxicity: In Rats, some positive data exists, on the following organs: Liver, bone, nails and/or hair and Endocrine

System, but not sufficient for classification.

Single Dose Toxicity: In Dogs, some positive data exists on the nervous system, but not sufficient for classification.

Aspiration Hazard: Not an aspiration hazard

Methyl Nonafluoroisobutyl Ether

Acute Toxicity

Ingestion: LD50 > 5,000 mg/kg, Rat **Inhalation:** LC50 > 1,000 mg/l, 4 h, Rat

Skin Corrosion/Irritation: No significant irritation in Rabbits **Serious Eye Damage/Irritation:** No significant irritation in Rabbits

Sensitization Skin: Not sensitizing in Guinea pigs

Sensitization Respiratory: Data not available or insufficient for classification

Germ Cell Mutagenicity: In vitro and In vivo - Not Mutagenic **Carcinogenicity:** Data not available or insufficient for classification

Reproductive and/or Developmental Toxicity: Not toxic to female or male reproduction in rats. Some positive developmental data

exist, but the data are not sufficient for classification.

Repeated Dose Toxicity: In Rats, some positive data exists, on the following organs: Liver, bone, nails and/or hair and Endocrine

System, but not sufficient for classification.

Single Dose Toxicity: In Dogs, some positive data exists on the nervous system, but not sufficient for classification.

Aspiration Hazard: Not an aspiration hazard

Trans-1,2-Dichloroethylene

Oral: LD50: 7902 mg/kg in rats

Dermal: LD50: > 5,000 mg/kg in rabbits **Inhalation:** 4 hour LC50: 95.6 mg/l in rats

Skin Corrosion/Irritation: Minimal irritation in Rabbits
Serious Eye Damage/Irritation: Moderate irritation in Rabbits
Sensitization Skin: Data not available or insufficient for classification
Sensitization Respiratory: Data not available or insufficient for classification

Sensitization Respiratory. Data not available of hisumicient for classific

Germ Cell Mutagenicity: In vitro and In vivo - Not Mutagenic **Carcinogenicity:** Data not available or insufficient for classification

Reproductive and/or Developmental Toxicity: Not toxic to female or male reproduction in rats. Some positive developmental data exist, but the data are not sufficient for classification.

Repeated Dose Toxicity: In Rats, some positive data exists, on the following organs: kidney and/or bladder, blood and liver, but not

sufficient for classification.

Single Dose Toxicity: In Human, some positive data exists causing central nervous system depression and respiratory irritation, but

not sufficient for classification.

Aspiration Hazard: Not an aspiration hazard

12. ECOLOGICAL INFORMATION

Aquatic Toxicity:

<u>Test Organism</u>	<u>Test Type</u>	Result
Water flea (Daphnia magna)	48 hours Effect Conc. 50%	> 200 mg/l
Bluegill (Lepomis macrochirus)	96 hours Lethel Conc. 50%	> 125 mg/l

13. **DISPOSAL CONSIDERATIONS**

Comply with federal, state and local regulations. Remove to a permitted waste disposal facility.

14. TRANSPORT INFORMATION

U.S. DOT

Proper Shipping Name: Consumer Commodity

Hazard Class: ORM-D Identification No. None Packing Group: None

IATA

Proper Shipping Name: Aerosols, Non-Flammable

Hazard Class: 2.2 Identification No. UN1950 Packing Group: None

IMDG

Proper Shipping Name: Aerosols, Non-Flammable

Hazard Class: 2.2

Identification No. UN1950 **Packing Group:** None

15. <u>REGULATORY INFORMATION</u>

U.S. Federal Regulations

TSCA: All ingredients are listed in TSCA inventory.

SARA 313 Regulated Chemicals: Trans-dichloroethylene

311/312 HAZARD CATEGORIES:

Product Hazard Categories:

Acute Health - Yes
Chronic Health - Yes
Fire Hazard - No
Reactivity Hazard - Yes
Pressure Hazard - Yes

16. OTHER INFORMATION

NPCA-HMIS Ratings:

Health - 2 Flammability - 1 Reactivity - 0

Personal Protective rating to be supplied by user depending on the conditions.

FOR INDUSTRIAL USE ONLY

REVISION DATE: SEPTEMBER 2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.