

Krytox[™] GPL 206

Versi 4.0	ion	Revision Date: 05/16/2018		0S Number: 65206-00004	Date of last issue: 01/18/2018 Date of first issue: 06/23/2017			
SEC	TION 1	IDENTIFICATION						
	Produc	t name	:	Krytox™ GPL 206				
	Produc	t code	:	D10170765				
:	SDS-Id	entcode	:	130000031500				
	Manufa	acturer or supplier's o	deta	iils				
	Compa	ny name of supplier	:					
	Address		:	1007 Market Street Wilmington, DE 19899 United States of America (USA)				
	Telepho	one	:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)				
	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)				
	Recom	mended use of the c	chemical and restrictions on use					
	Recommended use		:	Lubricant				
	Restric	tions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

No hazardous ingredients

Revision Date:

SDS Number:



Date of last issue: 01/18/2018

Krytox™ GPL 206

Version

4.0	05/16/2018		65206-00004	Date of first issue: 06/23/2017			
SECTION 4	4. FIRST AID MEASUR	ES					
lf inha	If inhaled		: If inhaled, remove to fresh air. Get medical attention if symptoms occur.				
In case	e of skin contact	:		Wash with water and soap as a precaution. Get medical attention if symptoms occur.			
In case	e of eye contact	:		Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.			
lf swal	llowed	:	Get medical atte	D NOT induce vomiting. ention if symptoms occur. proughly with water.			
	mportant symptoms fects, both acute and ed	:	Irritation Lung edema Eye contact ma Blurred vision Discomfort Lachrymation	provoke the following symptoms: y provoke the following symptoms y provoke the following symptoms:			
Protec	tion of first-aiders	:	No special precautions are necessary for first aid responders				
Notes	to physician	:	Treat symptomatically and supportively.				
SECTION	5. FIRE-FIGHTING ME	ASL	IRES				
Suitab	le extinguishing media	:	Not applicable Will not burn				
Unsuit media	able extinguishing	:	Not applicable Will not burn				
Specif fighting	ic hazards during fire g	:	Exposure to combustion products may be a hazard to hea				
Hazaro ucts	Hazardous combustion prod- ucts		Hydrogen fluorid carbonyl fluoride potentially toxic aerosolized part Carbon oxides	e fluorinated compounds			
Specif ods	Specific extinguishing meth- ods		cumstances and Use water spray	ng measures that are appropriate to local cir- I the surrounding environment. I to cool unopened containers. aged containers from fire area if it is safe to do			
Specia	al protective equipment	:	Wear self-conta	ined breathing apparatus for firefighting if			

Krytox™ GPL 206



Version 4.0	Revision Date: 05/16/2018		umber: 06-00004	Date of last issue: 01/18/2018 Date of first issue: 06/23/2017			
for fire	e-fighters		necessary. Use personal protective equipment.				
SECTION	6. ACCIDENTAL RELE	ASE MI	EASURES				
tive e	Personal precautions, protec- tive equipment and emer- gency procedures		Follow safe handling advice and personal protective equipment recommendations.				
Envir	Environmental precautions :		Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.				
	ods and materials for inment and cleaning up	For cor car cor Cle abs Loo dis em def Se	large spills, p ntainment to ke be pumped, s ntainer. an up remaini sorbent. cal or national posal of this m ployed in the c ermine which ctions 13 and	t absorbent material. rovide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding attional requirements.			

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.



Krytox[™] GPL 206

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2018
4.0	05/16/2018	1765206-00004	Date of first issue: 06/23/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m ³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

:

:

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are



Krytox™ GPL 206

Version 4.0	Revision Date: 05/16/2018		DS Number: 65206-00004	Date of last issue: 01/18/2018 Date of first issue: 06/23/2017
			Follow OSHA res use NIOSH/MSH by air purifying re hazardous chemi supplied respirato release, exposure	riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air or if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide ion.
Hand	I protection			
R	emarks	:	Wash hands befo	pre breaks and at the end of workday.
Eye p	Eye protection		Wear the followin Safety glasses	g personal protective equipment:
Skin	and body protection	:	Skin should be w	ashed after contact.
Hygie	ene measures	:	located close to the When using do not	lushing systems and safety showers are he working place. ot eat, drink or smoke. ted clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available



Krytox™ GPL 206

Versio 4.0	on	Revision Date: 05/16/2018		S Number: 5206-00004	Date of last issue: 01/18/2018 Date of first issue: 06/23/2017
١	Vapor pressure		:	Not applicable	
F	Relative	e vapor density	:	Not applicable	
F	Relative	edensity	:	1.89 - 1.93 (75 °F	= / 24 °C)
S	Solubilit Wate	ry(ies) er solubility	:	insoluble	
	Partitior octanol/	n coefficient: n- /water	:	Not applicable	
ŀ	Autoign	ition temperature	:	No data available	9
Γ	Decomposition temperature		:	572 °F / 300 °C	
١	Viscosit Visc	y osity, kinematic	:	Not applicable	
E	Explosiv	ve properties	:	Not explosive	
C	Oxidizin	ig properties	:	The substance or	r mixture is not classified as oxidizing.
F	Particle	size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition p	rod	ucts
Thermal decomposition	:	Hydrofluoric acid Carbonyl difluoride Carbon dioxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Ingestion Eye contact Carbon monoxide



Krytox™ GPL 206

Versi 4.0	ion	Revision Date: 05/16/2018	SDS Number: 1765206-00004	Date of last issue: 01/18/2018 Date of first issue: 06/23/2017						
	Acute	toxicity								
	Not classified based on available information.									
	Skin corrosion/irritation									
	Not classified based on available information.									
		is eye damage/eye i								
		ssified based on ava								
	Respir	atory or skin sensit	tization							
		ensitization								
		ssified based on ava	liable information.							
	•	atory sensitization ssified based on ava	ilable information.							
		cell mutagenicity ssified based on ava	ilable information.							
		ogenicity								
	Not cla	ssified based on ava								
	IARC			ent at levels greater than or equal to 0.1% is confirmed human carcinogen by IARC.						
	OSHA		ent of this product pres list of regulated carcin	sent at levels greater than or equal to 0.1% is ogens.						
	NTP No ingredient of this product present at levels greater than or equal to 0.1% i identified as a known or anticipated carcinogen by NTP.									
	Reproductive toxicity									
	Not classified based on available information.									
	STOT-single exposure									
	Not classified based on available information.									
	STOT-repeated exposure									
		ssified based on ava	ilable information.							
	-	tion toxicity	ilable information							
	Not classified based on available information.									

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available



Krytox[™] GPL 206

Version 4.0	Revision Date: 05/16/2018	-	DS Number: 765206-00004	Date of last issue: 01/18/2018 Date of first issue: 06/23/2017			
••	Other adverse effects No data available						
SECTION 13. DISPOSAL CONSIDERATIONS							
Dispo	osal methods						
Waste	e from residues	:	Dispose of in acc	ordance with local regulations.			
Conta	aminated packaging	:	handling site for r	s should be taken to an approved waste ecycling or disposal. pecified: Dispose of as unused product.			

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
----------------------	---	-----------------

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know



Krytox[™] GPL 206

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2018
4.0	05/16/2018	1765206-00004	Date of first issue: 06/23/2017
	PFPE fluid		Trade secret

Fluoropolymer


Trade secret Trade secret

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16. OTHER INFORMATION

Further information



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA		8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average



Krytox[™] GPL 206

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2018
4.0	05/16/2018	1765206-00004	Date of first issue: 06/23/2017

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 05/16/2018

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8