

Vers 4.0	ion	Revision Date: 04/03/2018		0S Number: 88850-00004	Date of last issue: 01/04/2018 Date of first issue: 06/27/2017			
SEC	TION 1	IDENTIFICATION						
Product name		:	Krytox™ GPL 297	7				
	Produc	t code	:	D12429929				
	SDS-Id	entcode	:	130000031521				
	Manufa	acturer or supplier's o	deta	ils				
	Compa	ny name of supplier	:	The Chemours Company FC, LLC				
	Address		:	1007 Market Street Wilmington, DE 19899 United States of America (USA)				
	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)				
	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)				
	Recom	mended use of the c	hen	nical and restriction	ons on use			
	Recom	mended use	:	Lubricant				
	Restric	tions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Sodium nitrite	7632-00-0	>= 1 - < 5



Version 4.0	Revision Date: 04/03/2018		S Number: 88850-00004	Date of last issue: 01/04/2018 Date of first issue: 06/27/2017
SECTION	4. FIRST AID MEASUR	IES		
lf inha	aled	:	If inhaled, remove Get medical atter	e to fresh air. ntion if symptoms occur.
In cas	se of skin contact	:		and soap as a precaution. ntion if symptoms occur.
In cas	se of eye contact	:	Flush eyes with v Get medical atter	vater as a precaution. ntion if irritation develops and persists.
lf swa	allowed	:	Get medical atter	NOT induce vomiting. ntion if symptoms occur. roughly with water.
	important symptoms ffects, both acute and ed	:	Irritation Lung edema Eye contact may Blurred vision Discomfort Lachrymation	rovoke the following symptoms: provoke the following symptoms r provoke the following symptoms:
Prote	ction of first-aiders	:	No special preca	utions are necessary for first aid responders.
Notes	s to physician	:	Treat symptomat	ically and supportively.
SECTION	5. FIRE-FIGHTING ME	ASL	JRES	
Suital	ble extinguishing media	:	Not applicable Will not burn	

Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides Metal oxides Sulfur oxides Nitrogen oxides (NOx)
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers.
	:	Metal oxides Sulfur oxides Nitrogen oxides (NOx) Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.



Vers 4.0	ion	Revision Date: 04/03/2018		9S Number: 88850-00004	Date of last issue: 01/04/2018 Date of first issue: 06/27/2017
				Remove undamag so. Evacuate area.	ged containers from fire area if it is safe to do
		protective equipment fighters	:	Wear self-contain necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.
SEC	TION 6	. ACCIDENTAL RELE	ASI	E MEASURES	
	tive equ	al precautions, protec- uipment and emer- procedures	:	Follow safe handl equipment recom	ing advice and personal protective mendations.
	Enviror	nmental precautions	:	Prevent further lea Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages ed.
		ls and materials for ment and cleaning up	:	For large spills, pr containment to ke can be pumped, s container. Clean up remainir absorbent. Local or national r disposal of this m employed in the c determine which r Sections 13 and 1	absorbent material. ovide diking or other appropriate ep material from spreading. If diked material tore recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to egulations are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor-	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET



Krytox[™] GPL 297

Version	Revision Date:	SDS Number:	Date of last issue: 01/04/2018
4.0	04/03/2018	1788850-00004	Date of first issue: 06/27/2017

age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m ³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at

:



Version 4.0	Revision Date: 04/03/2018	-	DS Number: /88850-00004	Date of last issue: 01/04/2018 Date of first issue: 06/27/2017
			assessment. Rele Particulates Not C dust, 5 mg/m3 - r Particles (insolub	to be considered in workplace risk evant limits include: OSHA PEL for Otherwise Regulated of 15 mg/m3 - total espirable fraction; and ACGIH TWA for le or poorly soluble) Not Otherwise /m3 - respirable particles, 10 mg/m3 - s.
Perso	onal protective equipn	nent		
Respi	ratory protection	:	maintain vapor ex concentrations ar unknown, approp Follow OSHA res use NIOSH/MSH. by air purifying re hazardous chemi supplied respirator release, exposure	I exhaust ventilation is recommended to (posures below recommended limits. Where e above recommended limits or are riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air or if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide on.
Hand	protection			
Re	emarks	:	Wash hands befo	re breaks and at the end of workday.
Eye p	rotection	:	Wear the followin Safety glasses	g personal protective equipment:
Skin a	and body protection	:	Skin should be w	ashed after contact.
Hygie	ne measures	:	located close to the When using do not	lushing systems and safety showers are he working place. ot eat, drink or smoke. ed clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	yellow
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available

SAFETY DATA SHEET



Krytox™ GPL 297

Vers 4.0	sion	Revision Date: 04/03/2018		S Number: 88850-00004	Date of last issue: 01/04/2018 Date of first issue: 06/27/2017
	Flash p	point	:	Not applicable	
	Evapor	ation rate	:	Not applicable	
Ĩ	Flamm	ability (solid, gas)	:	Will not burn	
I		explosion limit / Upper bility limit	:	No data available	9
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	oressure	:	Not applicable	
	Relativ	e vapor density	:	Not applicable	
	Relative	e density	:	1.9	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	No data available)
	Decom	position temperature	:	608 °F / 320 °C	
	Viscosi Visc	ty cosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Particle	size	:	No data available)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.		
Chemical stability	:	Stable under normal conditions.		
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.		
Conditions to avoid	:	None known.		
Incompatible materials	:	None.		
Hazardous decomposition products				

Thermal decomposition : Hydrofluoric acid



Version 4.0	Revision Date: 04/03/2018	SDS Number: 1788850-00004	Date of last issue: 01/04/2018 Date of first issue: 06/27/2017
		Carbonyl diflu Carbon dioxid Carbon mono	e
SECTION	11. TOXICOLOGICA		
Inforr	nation on likely rout	tes of exposure	
Inges	contact tion ontact		
	e toxicity assified based on ava	ailable information.	
Produ	uct:		
	oral toxicity	: Assessment: T icity	he substance or mixture has no acute oral to
Acute	inhalation toxicity	: Acute toxicity e Exposure time: Test atmosphe Method: Calcul	re: dust/mist
Com	oonents:		
Sodiu	um nitrite:		
Acute	oral toxicity	: LD50 (Rat): 18	0 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 5.5 Exposure time: Test atmosphe	4 h
Skin (corrosion/irritation		
	assified based on ava	ailable information.	
Com	oonents:		
Sodiu	um nitrite:		
Speci	es	: Rabbit	
Metho Resul		: OECD Test Gu : No skin irritatio	
	us eye damage/eye assified based on ava		
Comp	oonents:		
Sodiı	ım nitrite:		
Speci		: Rabbit	
Resul Metho		: Irritation to eye : OECD Test Gu	s, reversing within 21 days ideline 405



ersion 0	Revision Date: 04/03/2018	SDS Number: 1788850-00004	Date of last issue: 01/04/2018 Date of first issue: 06/27/2017	
Resp	iratory or skin sens	itization		
Skin	sensitization			
Not cl	assified based on av	ailable information.		
-	iratory sensitizatior			
	assified based on av	ailable information.		
	cell mutagenicity assified based on av	ailable information		
	oonents:			
	Im nitrite: toxicity in vitro	· Tost Typo: Ba	atorial reverse mutation access (AMES)	
Geno		Result: positiv	cterial reverse mutation assay (AMES) e	
		Test Type: In Result: positiv	vitro mammalian cell gene mutation test e	
Geno	toxicity in vivo	cytogenetic as		
		Species: Mous Application Ro Result: negati	oute: Intraperitoneal injection	
		Test Type: Ma cytogenetic as Species: Rat	ammalian erythrocyte micronucleus test (in viv ssay)	
			oute: Intraperitoneal injection ve	
II Carci	nogenicity			
Not cl	assified based on av	ailable information.		
Comp	oonents:			
Sodiu	ım nitrite:			
Speci	es cation Route	: Rat		
	sure time	: Ingestion : 2 Years		
Resul		: negative		
IARC	Sodium nit	Group 2A: Probably carcinogenic to humans Sodium nitrite 7632-00-0 (nitrite (ingested) under conditions that result in endogenous nitrosation)		
II OSH/	A No compo	No component of this product present at levels greater than or equal to 0.1% is		
NTP		on OSHA's list of regulated carcinogens. No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		

Not classified based on available information.

SAFETY DATA SHEET



Krytox™ GPL 297

Vers 4.0	ion	Revision Date: 04/03/2018	-	0S Number: 88850-00004	Date of last issue: 01/04/2018 Date of first issue: 06/27/2017	
	Comp	onents:				
	Sodiur	m nitrite:				
	Effects on fertility		:	Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative		
	Effects on fetal development		:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative		
		single exposure ssified based on availa	hla	information		
		repeated exposure		intormation.		
		ssified based on availa	able	information.		
	Repea	ted dose toxicity				
	Comp	onents:				
	Sodiur	m nitrite:				
	Specie NOAEI		:	Rat 10 mg/kg		
	Applica	ation Route	:	Ingestion		
l	Exposi	ure time	:	2 у		
	Aspira	tion toxicity				
	Not classified based on available information.					
SEC	TION 1	2. ECOLOGICAL INFO	ORI	IATION		
	Ecoto	kicity				
		onents:				
	-					
I	-	n nitrite: y to fish	:	LC50 (Oncorhync	hus mykiss (rainbow trout)): 0.54 mg/l	
		,	-	Exposure time: 96		

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	:	EC50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Scenedesmus capricornutum (fresh water algae)): 100 mg/l Exposure time: 72 h



Version 4.0	Revision Date: 04/03/2018		DS Number: 88850-00004	Date of last issue: 01/04/2018 Date of first issue: 06/27/2017
			Method: OECD T	est Guideline 201
Toxic icity)	ity to fish (Chronic tox-	:	Exposure time: 3	carpio (Carp)): 21 mg/l) d est Guideline 210
	ity to daphnia and other tic invertebrates (Chron- icity)		NOEC (Penaeid S Exposure time: 80	Shrimp): 9.86 mg/l) d
Toxic	ity to microorganisms	:	EC50: 281 mg/l Exposure time: 44	3 h
	Persistence and degradabili No data available			
Bioa	ccumulative potential			
No da	ata available			
Mobi	lity in soil			
No da	ata available			
Othe	r adverse effects			
No da	ata available			
SECTION	13. DISPOSAL CONSIL	DEF	RATIONS	

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s.



Version	Revision Date:	SDS Number:	Date of last issue: 01/04/2018
4.0	04/03/2018	1788850-00004	Date of first issue: 06/27/2017
Labels ERG C	Code e pollutant	SIZES WHER	e) INFORMATION ONLY APPLIES TO PACKAGE E THE HAZARDOUS SUBSTANCE MEETS FABLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

CAS-No.	Component RQ	Calculated product RQ
	(lbs)	(lbs)
7632-00-0	100	5050
1310-73-2	1000	*
	7632-00-0	(lbs) 7632-00-0 100

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards			
SARA 313	:	The following components established by SARA Title			
		Sodium nitrite	7632-00-0	>= 1 - < 5 %	
US State Regulations					
Pennsylvania Right To Know	v				
PFPE fluid Fluoropolymer Proprietary Additive Sodium nitrite				Trade secret Trade secret Trade secret 7632-00-0	

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California List of Hazardous Substances

Proprietary Additive Trade secret



Version	Revision Date:	SDS Number:	Date of last issue: 01/04/2018
4.0	04/03/2018	1788850-00004	Date of first issue: 06/27/2017
	Sodium nitrite		7632-00-0

Additional regulatory information


Sodium nitrite

7632-00-0

The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. See 40 CFR § 721.4740

SECTION 16. OTHER INFORMATION





Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA

Inventory of Chemical Substances.

Full text of	other abbreviations	
--------------	---------------------	--

ACGIH NIOSH REL OSHA Z-1		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
OSHA Z-2		its for Air Contaminants USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA		8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA		8-hour time weighted average



Version	Revision Date: 04/03/2018	SDS Number:	Date of last issue: 01/04/2018
4.0		1788850-00004	Date of first issue: 06/27/2017

OSHA Z-2 / TWA

: 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date

: 04/03/2018

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.