

### Krytox<sup>™</sup> XHT-500

Versi 2.1	ion	Revision Date: 01/18/2018		OS Number: 64499-00003	Date of last issue: 10/23/2017 Date of first issue: 06/21/2017		
SEC	TION 1	. IDENTIFICATION					
	Produc	t name	:	Krytox™ XHT-50	0		
	Produc	t code	:	D12419716			
	SDS-Id	entcode	:	130000031591			
	Manufa	acturer or supplier's	deta	ails			
	Compa	ny name of supplier	:	The Chemours Company FC, LLC			
	Address		:	1007 Market Street Wilmington, DE 19899 United States of America (USA)			
	Telepho	one	:	1-844-773-CHEM	(outside the U.S. 1-302-773-1000)		
	Emerge	ency telephone	:		cy: 1-866-595-1473 (outside the U.S. 1-302- nsport emergency: +1-800-424-9300 (outside 527-3887)		
	Recom	mended use of the c	hen	nical and restriction	ons on use		
	Recom	mended use	:	Lubricant			
	Restric	tions on use	:	tions involving im internal body fluic written agreemen	ell Chemours <sup>™</sup> materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative. users only.		

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	PFPE fluid
CAS-No.	:	Trade secret



# Krytox™ XHT-500

Version 2.1	Revision Date: 01/18/2018		OS Number: 64499-00003	Date of last issue: 10/23/2017 Date of first issue: 06/21/2017
	rdous ingredients azardous ingredients			
SECTION	4. FIRST AID MEASU	RES		
lf inha	aled	:	If inhaled, remo Get medical atte	ve to fresh air. ention if symptoms occur.
In cas	se of skin contact	:		r and soap as a precaution. ention if symptoms occur.
In cas	se of eye contact	:		water as a precaution. ention if irritation develops and persists.
lf swa	allowed	:	Get medical atte	D NOT induce vomiting. ention if symptoms occur. proughly with water.
	important symptoms affects, both acute and ed	:	Polymer fume for Skin contact ma Redness	provoke the following symptoms: ever ay provoke the following symptoms: y provoke the following symptoms
Prote	ction of first-aiders	:	No special prec	autions are necessary for first aid responders
Notes	s to physician	:	Treat symptoma	atically and supportively.

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.

# Krytox™ XHT-500



Vers 2.1	sion	Revision Date: 01/18/2018		S Number: 64499-00003	Date of last issue: 10/23/2017 Date of first issue: 06/21/2017
	Special for fire-	protective equipment fighters	:	Evacuate area. Wear self-containe necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.
SEC	TION 6	ACCIDENTAL RELE	ASE	E MEASURES	
	tive equ	al precautions, protec- upment and emer- procedures	:	Follow safe handli equipment recom	ng advice and personal protective nendations.
	Environ	imental precautions	:	Prevent further lea Prevent spreading oil barriers). Retain and dispos	environment must be avoided. akage or spillage if safe to do so. over a wide area (e.g., by containment or e of contaminated wash water. hould be advised if significant spillages ed.
		s and materials for ment and cleaning up	:	For large spills, pr containment to ke can be pumped, s container. Clean up remainin absorbent. Local or national r disposal of this ma employed in the cl determine which r Sections 13 and 1	absorbent material. ovide diking or other appropriate ep material from spreading. If diked material tore recovered material in appropriate g materials from spill with suitable egulations may apply to releases and aterial, as well as those materials and items eanup of releases. You will need to egulations are applicable. 5 of this SDS provide information regarding tional requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents



## Krytox<sup>™</sup> XHT-500

Version	Revision Date: 01/18/2018	SDS Number:	Date of last issue: 10/23/2017
2.1		1764499-00003	Date of first issue: 06/21/2017
	er information on stor- tability	: No decomposition	on if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
		С	6 ppm 5 mg/m <sup>3</sup>	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m <sup>3</sup>	NIOSH REL
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
		ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m <sup>3</sup>	NIOSH REL
		С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 55 mg/m <sup>3</sup>	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

:



# Krytox™ XHT-500

Version 2.1	Revision Date: 01/18/2018		DS Number: 64499-00003	Date of last issue: 10/23/2017 Date of first issue: 06/21/2017
Pers	onal protective equipr	nent		
Resp	piratory protection	:	maintain vapor ex concentrations ar unknown, approp Follow OSHA res use NIOSH/MSH/ by air purifying res hazardous chemic supplied respirato release, exposure	I exhaust ventilation is recommended to coordinate the second sec
Hand	d protection			
R	emarks	:	Wash hands befo	re breaks and at the end of workday.
Eye	protection	:	Wear the following Safety glasses	g personal protective equipment:
Skin	and body protection	:	Skin should be wa	ashed after contact.
Hygi	ene measures	:	located close to the When using do not	lushing systems and safety showers are ne working place. ot eat, drink or smoke. ed clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Will not burn



# Krytox™ XHT-500

Ver 2.1	sion	Revision Date: 01/18/2018		S Number: 34499-00003	Date of last issue: 10/23/2017 Date of first issue: 06/21/2017
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	No data available	•
	Relative	e vapor density	:	No data available	)
	Relative	e density	:	1.86 - 1.91	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partitio octanol	n coefficient: n- /water	:	No data available	
	Autoigr	nition temperature	:	No data available	)
	Decom	position temperature	:	350 °C	
	Viscosi Visc	ty :osity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance of	mixture is not classified as oxidizing.
	Particle	size	:	Not applicable	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition pathermal decomposition		ucts Hydrofluoric acid Carbonyl difluoride Carbon dioxide Carbon monoxide



# Krytox™ XHT-500

ersion .1	Revision Date: 01/18/2018	SDS Number: 1764499-00003	Date of last issue: 10/23/2017 Date of first issue: 06/21/2017
ECTION	11. TOXICOLOGICA	L INFORMATION	
Inhala Skin o Inges	contact	es of exposure	
Acute	e toxicity		
Not cl	assified based on ava	ailable information.	
	corrosion/irritation assified based on ava	ailable information.	
	us eye damage/eye assified based on ava		
Resp	iratory or skin sensi	tization	
-	sensitization assified based on ava	ailable information.	
-	iratory sensitization assified based on ava		
Germ	cell mutagenicity		
Not cl	assified based on ava	ailable information.	
Carci	nogenicity		
Not cl IARC	assified based on ava	No ingredient of th	is product present at levels greater than or lentified as probable, possible or confirmed h by IARC.
OSH	Α		this product present at levels greater than o n OSHA's list of regulated carcinogens.
NTP			is product present at levels greater than or lentified as a known or anticipated carcinog
-	oductive toxicity	ilelele inferre stiste	
	assified based on ava	allable information.	
SIOT	-single exposure		

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.



### Krytox<sup>™</sup> XHT-500

Version 2.1	Revision Date: 01/18/2018	SDS Number: 1764499-00003	Date of last issue: 10/23/2017 Date of first issue: 06/21/2017
SECTION	12. ECOLOGICAL II	NFORMATION	
Ecot	oxicity		
No da	ata available		
Pers	istence and degrada	bility	
No da	ata available		
Bioa	ccumulative potentia	al	
No da	ata available		
Mobi	ility in soil		
No da	ata available		
Othe	r adverse effects		
No da	ata available		
SECTION	13. DISPOSAL CON	ISIDERATIONS	
Disp	osal methods		

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

#### SECTION 15. REGULATORY INFORMATION

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.



# Krytox<sup>™</sup> XHT-500

Version 2.1	Revision Date: 01/18/2018	SDS Number: 1764499-00003	Date of last issue: 10/23/2017 Date of first issue: 06/21/2017				
	RA 304 Extremely Hazar s material does not contai		es Reportable Quantity s with a section 304 EHS RQ.				
This	SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.						
•	RA 311/312 Hazards RA 313	known CAS	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.				
US	State Regulations	-10	,				

#### Pennsylvania Right To Know

PFPE fluid

Trade secret

0


0

0

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### **SECTION 16. OTHER INFORMATION**



Krytox<sup>™</sup> and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours<sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits



## Krytox<sup>™</sup> XHT-500

Version 2.1	Revision Date: 01/18/2018	SDS Nu 1764499	mber: 9-00003	Date of last issue: 10/23/2017 Date of first issue: 06/21/2017			
OSHA	. Z-1		. Occupation or Air Contam	al Exposure Limits (OSHA) - Table Z-1 Lim- inants			
OSHA Z-2		: USA	: USA. Occupational Exposure Limits (OSHA) - Table Z-2				
ACGIH / TWA		: 8-hc	: 8-hour, time-weighted average				
ACGIH / STEL		: Sho	: Short-term exposure limit				
ACGIH / C		: Ceili	: Ceiling limit				
NIOSH REL / TWA			: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek				
NIOSH REL / ST			STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday				
NIOSH REL / C		: Ceili	Ceiling value not be exceeded at any time.				
OSHA	OSHA Z-1 / TWA : 8		ur time weigh	ited average			
OSHA	Z-2 / TWA	: 8-hour time weighted average					

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory: TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

**Revision Date** 

: 01/18/2018

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.



## Krytox™ XHT-500

Version	Revision Date:	SDS Number:	Date of last issue: 10/23/2017
2.1	01/18/2018	1764499-00003	Date of first issue: 06/21/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8