



1. CHEMICAL PRODUCT/COMPANY IDENTIFICATION

Name: MS-775
MS-775M
Vertrel XE
DPMS T0417A1

Product Use: Cleaning Solvent

MANUFACTURER/DISTRIBUTOR:

Miller-Stephenson Chemical
55 Backus Ave.
Danbury, Conn. 06810 USA
(203) 743-4447

Emergency Phone Number:
(800) 424-9300

2. HAZARDS IDENTIFICATION

GHS Hazard classification

Not a dangerous substance or mixture according to GHS.

GHS Label elements:

Pictogram: not required

Signal word: not required

Prevention Statements

Pressurized container: Do not pierce or burn, even after use.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Other hazards which do not result in classification or are not covered by GHS

Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing. Misuse or intentional inhalation abuse may cause death without warning symptoms, due to cardiac effects. Rapid evaporation of the product may cause frostbite.

3. INGREDIENTS

<u>Material (s)</u>	<u>CAS No.</u>	<u>Approximate %</u>
1,1,1,2,2,3,4,5,5,5-Decafluoropentane	138495-42-8	75 - 80
Methanol	67-56-1	< 0.8
Ethanol	64-17-5	0.8 - 4
1,1,1,2-Tetrafluoroethane	811-97-2	18 - 22

4. FIRST AID MEASURES

Inhalation: If inhaled, immediately remove to fresh air. Get medical attention if symptoms occur.

Eye: In case of contact, flush eyes with water. Get medical attention if irritation develops and persists.

Skin: Wash skin with water and soap after contact. Get medical attention if symptoms occur.

Oral: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms/effects, acute and delayed: May cause cardiac arrhythmia.

Skin contact may provoke the following symptoms: Dermatitis, Discomfort, Pain, Redness, Rash, Itching, Swelling of tissue, Eye damage

Eye contact may provoke the following symptoms: Irritation, Pain, Tearing, Swelling of tissue, Redness, Impairment of vision, Discomfort

Inhalation may provoke the following symptoms: Eye damage

Effects of breathing high concentrations of vapor may include: Tiredness, Drowsiness, Central nervous system effects, Convulsions

Adverse effects from repeated inhalation may include central nervous system effects

Ingestion may provoke the following symptoms: Lack of coordination, narcosis, Eye damage

Aspiration may cause pulmonary edema and pneumonitis.

Notes to Physician: Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, that may be used in situations of emergency life support should be used with special caution.

5. FIRE FIGHTING MEASURES

Flammability: This product is not flammable.

Test Method: Ignition distance test and Enclosed space ignition test.

Suitable Extinguishing Media: Water spray, Alcohol-resistant foam, Dry Chemical, Carbon Dioxide (CO₂).

Unsuitable extinguishing media: None known.

Specific hazards during firefighting: Containers may rupture under fire conditions. Exposure to combustion products may be a hazard to health.

Hazardous combustion products: Hydrogen fluoride, Carbonyl fluoride, Carbon oxides.

Special Fire Fighting Instruction: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool containers. Evacuate area. Self-contained breathing apparatus (SCBA) maybe required if a large amount of material is released under fire conditions. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up. Evacuate personnel, thoroughly ventilate area. In case of insufficient ventilation use wear suitable respiratory equipment.

Environmental precautions: Dike spill. Prevent material from entering sewers, waterways, or low areas. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillage cannot be contained.

Methods and materials for containment and clean up: If containers rupture or leak, evacuate the area and provide ventilation. Only personnel equipped with proper respiratory and skin/eye protection should be permitted in area of large spill. Soak up with inert absorbent material. Place in a container for disposal according to local/national regulations (Section 13).

7. HANDLING AND STORAGE

Handling: Use in a well-ventilated area to avoid breathing vapors. Use only with adequate ventilation. Where ventilation is inadequate, use appropriate respiratory protection. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Take care to prevent spills, waste and minimize release to the environment.

Storage Conditions: Store in a clean, dry, well-ventilated place. Do not store near sources of heat, in direct sunlight or where temperatures exceed 52°C (125°F).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Exposure Limits:</u>	<u>TLV(ACGIH)</u>	<u>PEL (OSHA)</u>
1,1,1,2,2,3,4,5,5-Decafluoropentane	None Established	None Established
Methanol	200 ppm, TWA	200 ppm, TWA
Ethanol	1000 ppm, STEL	1000 ppm, TWA
1,1,1,2-Tetrafluoroethane	None Established	None Established

Respiratory Protection: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Eye Protection: Avoid eye contact. Use chemical goggles or safety glasses with side shields.

Skin Protection: Avoid contact with skin. Wash skin after contact. Use gloves impervious to this material (eg. Viton) when prolonged or frequently repeated contact occurs. For special applications, we recommend clarifying the resistance to chemicals of the protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often.

Hygiene measures: Do not eat, drink or smoke when using this product. Do not breathe vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wash exposed areas thoroughly after contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N.A.

Percent Volatile by Volume: 100

Density: 1.52 g/cc @ 77°F/25°C

Vapor Pressure: 250 mmHg @ 77°F/25°C

Vapor Density (Air=1): 7.3

Solubility in H₂O: 15 g/l @ 77°F/25°C

pH Information: Neutral

Evaporation Rate (CC14=1): N.A.

Form: Aerosol

Appearance: Clear & Colorless

Color: Colorless

10. STABILITY AND REACTIVITY

Reactivity: Not classified as a reactivity hazard.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None known.

Material and Conditions to Avoid: None known.

Decomposition: No hazardous decomposition products are known

11. TOXICOLOGICAL INFORMATION

1,1,1,2,2,3,4,5,5-Decafluoropentane

Information on likely routes of exposure: Inhalation, Skin contact, Ingestion, Eye contact

Acute Toxicity: Not classified based on available information.

Skin Corrosion/Irritation: Not classified based on available information.

Serious Eye Irritation/ Eye Irritation: Not classified based on available information.

Skin Sensitization: Not classified based on available information.

Respiratory Sensitization: Not classified based on available information

Germ Cell Mutagenicity: Not classified based on available information.

Carcinogenicity: Not classified based on available information.

Reproductive toxicity: Not classified based on available information.

STOT-single exposure: Not classified based on available information.

STOT-repeated exposure: Not classified based on available information.

Aspiration toxicity: Not classified based on available information.

Methanol

Inhalation Acute toxicity: 3mg/l estimated, 4 hours (vapor) (Based on harmonised classification in EU regulation 1272/2008, Annex VI)

Dermal Acute toxicity: 300 mg/kg, (estimated in humans)

Oral Acute Toxicity: 300 mg/kg, (estimated in humans)

Skin Corrosion/Irritation: No irritation, Rabbit

Serious Eye Irritation/ Eye Irritation: No irritation, Rabbit

Skin sensitization: Negative in Guinea pig (Maximization Test)

Respiratory Sensitization: Not classified based on available information.

Germ Cell Mutagenicity: Genotoxicity in vivo and vitro tests were negative.

Carcinogenicity: Negative in Mouse, 18 months (inhalation-vapor).

Reproductive Toxicity: Fertility/early embryonic development - Negative in Mouse (ingestion)

Embryo-fetal development - Positive in Mouse (ingestion). The effects were only at maternally toxic doses.

STOT-single exposure: May cause damage to organs (Eyes, Central Nervous System)

STOT-repeated exposure: NOEL: 1.06 mg/l (90 days, Inhalation) in rats

Aspiration toxicity: Not classified based on available information

Ethanol

Inhalation: 4 hour LC50: 124.7 mg/l, Rat

Oral: LD50: >5,000 mg/kg, Rat. Method: OECD Test Guideline 401

Skin Irritation: No skin irritation, Rabbit. Method: OECD Test Guideline 404

Eye Irritation: Eye irritation, reversing within 21 days, Rabbit

Skin Sensitization: Does not cause skin sensitization., Mouse

Respiratory Sensitization: Not classified based on available information.

Germ Cell Mutagenicity: Genotoxicity in vivo and vitro tests were negative.

Carcinogenicity: Not classified based on available information.

Reproductive Toxicity: Not classified based on available information

STOT-single exposure: Not classified based on available information.

STOT-repeated exposure: Not classified based on available information.

Aspiration toxicity: Not classified based on available information.

12. ECOLOGICAL INFORMATION

1,1,1,2,2,3,4,5,5,5-Decafluoropentane:

Ecotoxicity: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

Other adverse effects

Results of PBT and vPvB assessment: This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Methanol

96 hour LC50 in *Lepomis macrochirus* (Bluegill sunfish): 15,400 mg/l

48 hour EC50 in *Daphnia magna* (Water flea): >10,000 mg/l

96 hour EC50 in *Pseudokirchneriella subcapitata* (Green algae): 22,000 mg/l

200 hour NOEC in *Oryzias latipes* (Orange-red killfish): 15,800 mg/l

Biodegradability: Readily biodegradable. 95% biodegradable in 20 days

Bioaccumulative potential: Partition coefficient: n-octanol/water: log Pow: -0.77

Ethanol

96 hour LC50 in *Pimephales promelas* (flathead minnow): >1,000 mg/l

48 hour EC50 in *Ceriodaphnia* (water flea): >1,000 mg/l

72 hour ErC50 in *Chlorella vulgaris* (fresh water algae): 275 mg/l

72 hour EC10 in *Chlorella vulgaris* (fresh water algae): 11.5 mg/l

9 day NOEC in *Daphnia magna* (water flea): 9.6 mg/l

EC50 in *Pseudomonas putida*: 6,500 mg/l

13. DISPOSAL CONSIDERATIONS

Comply with federal, state and local regulations. Remove to a permitted waste disposal facility.

14. TRANSPORT INFORMATION

U.S. DOT

Limited Quantity

IATA

Proper Shipping Name: Aerosols, Non-Flammable

Hazard Class: 2.2

Identification No. UN1950

Packing Group: None

IMDG

Proper Shipping Name: Aerosols, Non-Flammable

Hazard Class: 2.2

Identification No. UN1950

Packing Group: None

15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA: All ingredients are listed in TSCA inventory.

1,1,1,2,2,3,4,5,5,5-Decafluoropentane (CAS# 138495-42-8) - The United States Environmental Protection Agency has established a Significant New Use Rule (SNUR; 40 CFR 721.5645) for this product. Also, this product requires an export notification under TSCA Section 12(b) and 40 CFR Part 707 Subpart D.

CERCLA Reportable Quantity: Methanol, 67-56-1: Component RQ is 5000 lbs.

SARA 304 Extremely Hazardous Substances Reportable Quantity: This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity: This material does not contain any components with a section 302 EHS RQ.

SARA 311/312 Hazards: No SARA Hazards

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Proposition 65: This product can expose you to chemicals including, Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. OTHER INFORMATION

FOR INDUSTRIAL USE ONLY

REVISION DATE: MARCH 2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.