

**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
Date of first issue: 11/16/2015

Print Date 03/27/2020

**SECTION 1. IDENTIFICATION**

Product name : JEFFCAT® BDMA

**Manufacturer or supplier's details**

Company name of supplier : Huntsman International LLC  
Address : P.O. Box 4980  
The Woodlands,  
TX 77387  
United States of America (USA)  
Telephone : TechInfo: (281) 719-7780  
E-mail address of person responsible for the SDS : SDS@huntsman.com  
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

**Recommended use of the chemical and restrictions on use**

Recommended use : Catalyst

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Flammable liquids : Category 3  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 3  
Acute toxicity (Dermal) : Category 4  
Skin corrosion : Category 1B  
Serious eye damage : Category 1  
Short-term (acute) aquatic hazard : Category 3  
Long-term (chronic) aquatic hazard : Category 2

**GHS label elements**

Hazard pictograms :



Signal word : Danger

**JEFFCAT® BDMA**

Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2015
1.1	06/05/2019	400001020149	Date of first issue: 11/16/2015

Print Date 03/27/2020

- Hazard statements : H226 Flammable liquid and vapour.  
H302 + H312 Harmful if swallowed or in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H331 Toxic if inhaled.  
H402 Harmful to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P363 Wash contaminated clothing before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
P391 Collect spillage.  
**Storage:**  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
 Date of first issue: 11/16/2015

Print Date 03/27/2020

Substance / Mixture : Substance

Chemical nature : Amines

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
benzyl dimethylamine	103-83-3	90 - 100

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
 Consult a physician.  
 Show this safety data sheet to the doctor in attendance.  
 Symptoms of poisoning may appear several hours later.  
 Treat symptomatically.  
 Get medical attention if symptoms occur.
- If inhaled : Call a physician or poison control centre immediately.  
 If inhaled, remove to fresh air.  
 Get medical attention if symptoms occur.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
 If on skin, rinse well with water.  
 If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
 In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 Continue rinsing eyes during transport to hospital.  
 Remove contact lenses.  
 Keep eye wide open while rinsing.  
 If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
 Do NOT induce vomiting.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.  
 Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically.

**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
Date of first issue: 11/16/2015

Print Date 03/27/2020

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : No data is available on the product itself.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Refer to protective measures listed in sections 7 and 8.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Neutralise with acid.  
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**JEFFCAT® BDMA**

Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2015
1.1	06/05/2019	400001020149	Date of first issue: 11/16/2015

Print Date 03/27/2020

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep in properly labelled containers.
- Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.
- Further information on storage stability : Stable under normal conditions.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

- Engineering measures** : Maintain air concentrations below occupational exposure standards.

**Personal protective equipment**

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any

**JEFFCAT® BDMA**

Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2015
1.1	06/05/2019	400001020149	Date of first issue: 11/16/2015

Print Date 03/27/2020

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Avoid contact with skin, eyes and clothing.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : colourless

Odour : No data is available on the product itself.

Odour Threshold : No data is available on the product itself.

pH : 10  
Concentration: 10 g/l

Freezing point : -103 °F / -75 °C

Boiling point : 356 °F / 180 °C  
(1,013 hPa)  
No information available.

Flash point : 135 °F / 57 °C  
Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit / Upper : 6.3 %(V)

**JEFFCAT® BDMA**

Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2015
1.1	06/05/2019	400001020149	Date of first issue: 11/16/2015

Print Date 03/27/2020

flammability limit

Lower explosion limit / Lower flammability limit : 0.9 %(V)

Vapour pressure : 8 hPa (68 °F / 20 °C)  
Method: Vapour Pressure

21 hPa (122 °F / 50 °C)  
Method: Vapour Pressure

Relative vapour density : No data available

Relative density : No data is available on the product itself.

Density : 0.92 g/cm<sup>3</sup> (32 °F / 0 °C)

Solubility(ies)

Water solubility : 12 g/l partly soluble

Solubility in other solvents : not determined

Partition coefficient: n-octanol/water : log Pow: 1.98  
pH: 13

Auto-ignition temperature : 482 °F / 250 °C  
Method: Auto-Ignition Temperature (Liquids and Gases)

Thermal decomposition : No data is available on the product itself.

Self-Accelerating decomposition temperature (SADT) : No data is available on the product itself.

Viscosity

Viscosity, dynamic : 3.43 mPa.s (104 °F / 40 °C)  
Method: DIN Method, other

Explosive properties : No data is available on the product itself.

Oxidizing properties : None.

Molecular weight : 135.21 g/mol

Particle size : No data is available on the product itself.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
 Date of first issue: 11/16/2015

Print Date 03/27/2020

Incompatible materials : Incompatible with oxidizing agents.  
 Metals  
 Incompatible with acids.

Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : No data is available on the product itself.

**Acute toxicity****Components:**

benzyl dimethylamine:  
 Acute oral toxicity : LD50 (Rat, male): 579 mg/kg

**Components:**

benzyl dimethylamine:  
 Acute inhalation toxicity : LC50 (Rat, male and female): 373 ppm  
 Exposure time: 4 h  
 Test atmosphere: vapour  
 Assessment: The component/mixture is moderately toxic after short term inhalation.

**Components:**

benzyl dimethylamine:  
 Acute dermal toxicity : LD50 (Rabbit, male): 1,660 mg/kg  
 Assessment: The component/mixture is moderately toxic after single contact with skin.

LD50 (Rabbit, male): 1,477 mg/kg

Acute toxicity (other routes of administration) : No data available

**Skin corrosion/irritation****Components:**

benzyl dimethylamine:  
 Species: Rabbit  
 Method: OECD Test Guideline 404  
 Result: Causes burns.

**Serious eye damage/eye irritation****Components:**

benzyl dimethylamine:  
 Species: Rabbit



**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
Date of first issue: 11/16/2015

Print Date 03/27/2020

Result: Severe eye irritation  
Assessment: Severe eye irritation

**Respiratory or skin sensitisation****Components:**

benzylidimethylamine:  
Exposure routes: Skin  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.

Assessment:                      No data available

**Germ cell mutagenicity****Components:**

benzylidimethylamine:  
Genotoxicity in vitro                      : Test Type: Ames test  
Concentration: 5000 ug/plate  
Metabolic activation: with and without metabolic activation  
Method: reverse mutation assay  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster cells  
Concentration: .213 mg/ml  
Metabolic activation: with and without metabolic activation  
Method: Chromosome aberration test in vitro  
Result: positive

Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

**Components:**

benzylidimethylamine:  
Genotoxicity in vivo                      : Test Type: In vivo micronucleus test  
Species: Mouse  
Cell type: Somatic  
Application Route: Oral  
Exposure time: 24 h  
Dose: 150 mg/kg  
Result: negative

**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
Date of first issue: 11/16/2015

Print Date 03/27/2020

**Carcinogenicity**

No data available

Carcinogenicity - Assessment : No data available

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Effects on fertility : No data available

**Components:**benzyltrimethylamine:  
Effects on foetal  
development: Species: Rat  
Application Route: Oral  
Teratogenicity: No observed adverse effect level: 150 mg/kg  
body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Reproductive toxicity - Assessment : No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Repeated dose toxicity****Components:**benzyltrimethylamine:  
Species: Rat, male and female  
NOEL: 50 mg/kg  
Application Route: Ingestion  
Exposure time: 672 h  
Number of exposures: 7 d  
Method: Subacute toxicity

**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
Date of first issue: 11/16/2015

Print Date 03/27/2020

Species: Rat, male and female  
NOAEL: ca. 150 mg/kg  
Application Route: Ingestion  
Exposure time: 672 h  
Number of exposures: 7 d  
Method: Subacute toxicity

Repeated dose toxicity - Assessment : No data available

**Aspiration toxicity**

No data available

**Experience with human exposure**

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**Further information****Product:**

Remarks: Solvents may degrease the skin.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

benzyl dimethylamine:  
Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 37.8 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water

**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
 Date of first issue: 11/16/2015

Print Date 03/27/2020

Method: OECD Test Guideline 203

**Components:**

benzyltrimethylamine:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: Directive 67/548/EEC, Annex V, C.2.

**Components:**

benzyltrimethylamine:

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 1.34 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: Directive 67/548/EEC, Annex V, C.3.

EC10 (Desmodesmus subspicatus (green algae)): 0.24 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Method: Directive 67/548/EEC, Annex V, C.3.

M-Factor (Acute aquatic toxicity) : No data available

Toxicity to fish (Chronic toxicity) : No data available

**Components:**

benzyltrimethylamine:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.789 mg/l  
 Exposure time: 21 d  
 Test Type: semi-static test  
 Test substance: Fresh water  
 Method: Directive 67/548/EEC, Annex V, C.20

M-Factor (Chronic aquatic toxicity) : No data available

**Components:**

benzyltrimethylamine:

Toxicity to microorganisms : EC50 (Pseudomonas putida): 749.6 mg/l  
 Exposure time: 17 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: DIN 38 412 Part 8

: EC10 (Pseudomonas putida): 534 mg/l  
 Exposure time: 17 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: DIN 38 412 Part 8

**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
 Date of first issue: 11/16/2015

Print Date 03/27/2020

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

**Ecotoxicology Assessment****Components:**

benzyl dimethylamine:  
Acute aquatic toxicity : Harmful to aquatic life.

**Components:**

benzyl dimethylamine:  
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

**Persistence and degradability****Components:**

benzyl dimethylamine:  
Biodegradability : Inoculum: activated sludge  
Concentration: 30 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 0 - 2 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
 Date of first issue: 11/16/2015

Print Date 03/27/2020

Stability in water : No data available

Photodegradation : No data available

Impact on Sewage Treatment : No data available

**Bioaccumulative potential****Components:**

benzyltrimethylamine:

Bioaccumulation

: Species: Cyprinus carpio (Carp)  
 Bioconcentration factor (BCF): 2.1 - 22  
 Exposure time: 42 d  
 Test substance: Fresh water  
 Method: flow-through test  
 Remarks: Bioaccumulation is unlikely.

Species: Cyprinus carpio (Carp)  
 Bioconcentration factor (BCF): 2.1 - 6.4  
 Exposure time: 14 d  
 Test substance: Fresh water  
 Method: flow-through test  
 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water - Product : log Pow: 1.98  
 pH: 13

**Mobility in soil**

Mobility : No data available

Distribution among environmental compartments : No data available

Stability in soil : No data available

**Other adverse effects**

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

**Hazardous to the ozone layer**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
 Protection of Stratospheric Ozone - CAA Section 602 Class I  
 Substances

**JEFFCAT® BDMA**

Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2015
1.1	06/05/2019	400001020149	Date of first issue: 11/16/2015

Print Date 03/27/2020

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information - Product : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

Global warming potential (GWP) : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
Dispose of as hazardous waste in compliance with local and national regulations.  
Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA**

UN/ID No.	: UN 2619
Proper shipping name	: Benzyldimethylamine
Class	: 8
Subsidiary risk	: 3
Packing group	: II
Labels	: Corrosive, Flammable Liquids
Packing instruction (cargo aircraft)	: 855
Packing instruction (passenger aircraft)	: 851

**IMDG**

**JEFFCAT® BDMA**

Version	Revision Date:	SDS Number:	Date of last issue: 11/16/2015
1.1	06/05/2019	400001020149	Date of first issue: 11/16/2015

Print Date 03/27/2020

UN number : UN 2619  
 Proper shipping name : BENZYL DIMETHYLAMINE

Class : 8  
 Subsidiary risk : 3  
 Packing group : II  
 Labels : 8 (3)  
 EmS Code : F-E, S-C  
 Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****DOT Classification**

UN/ID/NA number : UN 2619  
 Proper shipping name : BENZYL DIMETHYLAMINE

Class : 8  
 Subsidiary risk : 3  
 Packing group : II  
 Labels : CORROSIVE, FLAMMABLE LIQUID  
 ERG Code : 132  
 Marine pollutant : yes

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
 Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).



**JEFFCAT® BDMA**

Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
Date of first issue: 11/16/2015

Print Date 03/27/2020

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

CH INV : On the inventory, or in compliance with the inventory  
DSL : All components of this product are on the Canadian DSL  
AICS : On the inventory, or in compliance with the inventory  
NZIoC : On the inventory, or in compliance with the inventory  
ENCS : On the inventory, or in compliance with the inventory  
KECI : On the inventory, or in compliance with the inventory  
PICCS : On the inventory, or in compliance with the inventory  
IECSC : On the inventory, or in compliance with the inventory  
TCSI : On the inventory, or in compliance with the inventory  
TSCA : On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**TSCA - 5(a) Significant New Use Rule List of Chemicals**

No substances are subject to a Significant New Use Rule.

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

No substances are subject to TSCA 12(b) export notification requirements.

**JEFFCAT® BDMA**


Version 1.1      Revision Date: 06/05/2019      SDS Number: 400001020149      Date of last issue: 11/16/2015  
 Date of first issue: 11/16/2015

Print Date 03/27/2020

**SECTION 16. OTHER INFORMATION**

**Further information**

**NFPA 704:**



**HMIS® IV:**

<b>HEALTH</b>		<b>3</b>
<b>FLAMMABILITY</b>		<b>2</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 06/05/2019

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.