

Krytox[™] XHT-AC

Versi 6.0	ion	Revision Date: 11/08/2022		90002-00015	Date of last issue: 06/15/2022 Date of first issue: 06/26/2017				
SECTION 1. IDENTIFICATION									
l	Product name		:	Krytox™ XHT-AC					
I	Product	t code	:	D10994946					
;	SDS-Id	entcode	:	13000023998					
I	Manufa	acturer or supplier's o	deta	iils					
(Compa	ny name of supplier	:						
	Address			1007 Market Street Wilmington, DE 19801 United States of America (USA)					
-	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)					
I	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302- 773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)					
Recommended use of the			chemical and restrictions on use						
ļ	Recom	mended use	:	Lubricant					
I	Restrict	tions on use	:	tions involving im internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)



Krytox™ XHT-AC

/ersion Revision Date: 5.0 11/08/2022		SDS Number: 1790002-00015	Date of last issue Date of first issue				
	m nitrite I concentration is withh	7632-00-0 eld as a trade secret		>= 1 - < 5			
ECTION	4. FIRST AID MEASUR	RES					
lf inha	aled	: If inhaled, remo Get medical atte	ve to fresh air. ention if symptoms o	occur.			
In cas	se of skin contact		er and soap as a pre ention if symptoms o				
In cas	se of eye contact		water as a precauti ention if irritation de	on. velops and persists.			
lf swa	llowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.					
	important symptoms ffects, both acute and ed	Irritation Lung edema Eye contact ma Blurred vision Discomfort Lachrymation Skin contact ma Irritation Redness	provoke the followin y provoke the follow ay provoke the follov provoke the followin eath	ving symptoms ving symptoms:			
Prote	ction of first-aiders	: No special prec	autions are necessa	ary for first aid responders.			
Notes	to physician	: Treat symptom	atically and supporti	vely.			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides Nitrogen oxides (NOx)



Version 6.0	Revision Date: 11/08/2022		OS Number: 90002-00015	Date of last issue: 06/15/2022 Date of first issue: 06/26/2017
Speci ods	fic extinguishing meth-	:	cumstances and Use water spray	ng measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. aged containers from fire area if it is safe to do
•	Special protective equipment for fire-fighters		necessary.	ned breathing apparatus for firefighting if otective equipment.

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Local/Total ventilation	:	Use only with adequate ventilation.		
Advice on safe handling :		Do not breathe decomposition products.		
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.		



Version 6.0	Revision Date: 11/08/2022		DS Number: 790002-00015	Date of last issue: 06/15/2022 Date of first issue: 06/26/2017			
Conditions for safe storage		:	: Keep in properly labeled containers. Store in accordance with the particular national regulations.				
Materials to avoid		:	: No special restrictions on storage with other products.				
Further information on stor- age stability		:	No decompositio	n if stored and applied as directed.			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

Engineering measures

asures : Processing may form hazardous compounds (see section



Version 6.0	Revision Date: 11/08/2022		90002-00015	Date of last issue: 06/15/2022 Date of first issue: 06/26/2017
				ventilation, especially in confined areas. ce exposure concentrations.
Pers	onal protective equip	ment		
Resp	biratory protection	:	maintain vapor ex concentrations ar unknown, approp Follow OSHA res use NIOSH/MSH. by air purifying re dous chemical is respirator if there exposure levels a	I exhaust ventilation is recommended to (posures below recommended limits. Where e above recommended limits or are riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any hazar- limited. Use a positive pressure air supplied is any potential for uncontrolled release, are unknown, or any other circumstance g respirators may not provide adequate
Hand	d protection			
R	emarks	:	Wash hands befo	re breaks and at the end of workday.
Eyeı	protection	:	Wear the followin Safety glasses	g personal protective equipment:
Skin	and body protection	:	Skin should be wa	ashed after contact.
Hygid	ene measures	:	eye flushing syste king place. When using do no	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. red clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available



Vers 6.0	ion	Revision Date: 11/08/2022		S Number: 90002-00015	Date of last issue: 06/15/2022 Date of first issue: 06/26/2017
	Flash p	oint	:	Not applicable	
	Evapor	ation rate	:	Not applicable	
	Flamma	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper bility limit		No data available	9
		explosion limit / Lower bility limit	:	No data available	2
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	1.89 - 1.93 (75 °F	= / 24 °C)
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	nition temperature	:	No data available	9
	Decom	position temperature	:	608 °F / 320 °C	
	Viscosi [.] Visc	ty sosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Particle	size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

Hazardous decomposition products

Thermal decomposition : Hydrogen fluoride



Krytox™ XHT-AC

Version 6.0	Revision Date: 11/08/2022	SDS Number: 1790002-00015	Date of last issue: 06/15/2022 Date of first issue: 06/26/2017
		Carbonyl diflu Carbon dioxid Carbon mono:	e
SECTION	11. TOXICOLOGICA	L INFORMATION	
Inforr	nation on likely rout	tes of exposure	
Inges	contact tion ontact		
Acute	e toxicity		
Not cl	assified based on ava	ailable information.	
Produ			
Acute	oral toxicity	: Assessment: T icity	he substance or mixture has no acute oral tox
Acute	inhalation toxicity	: Acute toxicity e Exposure time: Test atmosphe Method: Calcu	re: dust/mist
<u>Com</u>	oonents:		
Sodiu	um nitrite:		
Acute	oral toxicity	: LD50 (Rat): 18	0 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 5.8 Exposure time: Test atmosphe	4 h
II Skin (corrosion/irritation		
	assified based on ava	ailable information.	
Com	oonents:		
Sodiu	um nitrite:		
Speci		: Rabbit	
Metho Resul	bd	: OECD Test Gu : No skin irritatio	
	us eye damage/eye assified based on ava		
	oonents:		
Sodiu	um nitrite:		
Speci		: Rabbit	
Resul Metho		: Irritation to eye : OECD Test Gu	s, reversing within 21 days



rsion)	Revision Date: 11/08/2022	SDS Number: 1790002-00015	Date of last issue: 06/15/2022 Date of first issue: 06/26/2017
Resp	iratory or skin sens	itization	
•••••	sensitization lassified based on av	ailable information.	
-	iratory sensitizatio r lassified based on av		
	n cell mutagenicity lassified based on av	ailable information.	
<u>Com</u>	ponents:		
	um nitrite:		
Genc	toxicity in vitro	: Test Type: Bac Result: positive	terial reverse mutation assay (AMES)
		Test Type: In vi Result: positive	tro mammalian cell gene mutation test
Genc	toxicity in vivo	cytogenetic ass Species: Mouse	9
		Application Rou Result: negative	ite: Intraperitoneal injection e
		Test Type: Mar cytogenetic ass Species: Rat	nmalian erythrocyte micronucleus test (in viv ay)
		Application Rou Result: negative	ite: Intraperitoneal injection e
	inogenicity		
	lassified based on av p onents:	ailable information.	
Spec	u m nitrite: ies	: Rat	
Appli	cation Route	: Ingestion	
	sure time	: 2 Years	
Resu	π	: negative	
IARC	Sodium nit		to humans 7632-00-0 that result in endogenous nitrosation)
II OSH		nent of this product preases list of regulated carcin	sent at levels greater than or equal to 0.1% i ogens.
NTP		ent of this product prese as a known or anticipate	ent at levels greater than or equal to 0.1% is

Not classified based on available information.



Krytox™ XHT-AC

Version 6.0	Revision Date: 11/08/2022		90002-00015	Date of last issue: 06/15/2022 Date of first issue: 06/26/2017
Com	oonents:			
Sodiu	ım nitrite:			
Effect	s on fertility	:	Test Type: Two-g Species: Mouse Application Route Result: negative	eneration reproduction toxicity study : Ingestion
Effect	s on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	ro-fetal development : Ingestion
STOT	-single exposure			
Not cl	assified based on availa	ble	information.	
	-repeated exposure			
Not cl	assified based on availa	ble	information.	
Repe	ated dose toxicity			
Comp	oonents:			
Speci NOAE Applic		:	Rat 10 mg/kg Ingestion 2 y	

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium nitrite:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Scenedesmus capricornutum (fresh water algae)): 100 mg/l Exposure time: 72 h



Krytox™ XHT-AC

Version 6.0	Revision Date: 11/08/2022		OS Number: 90002-00015	Date of last issue: 06/15/2022 Date of first issue: 06/26/2017
			Method: OECD T	
icity)	y to fish (Chronic tox-	:	Exposure time: 3	carpio (Carp)): 21 mg/l 0 d est Guideline 210
	y to daphnia and other c invertebrates (Chron- city)		NOEC (Penaeid S Exposure time: 80	
Toxicit	y to microorganisms	:	EC50: 281 mg/l Exposure time: 44	8 h
	tence and degradabil a available	ity		
	cumulative potential a available			
	ty in soil a available			
	adverse effects			
	a available			
SECTION 1	13. DISPOSAL CONSI	DEF	ATIONS	

Disposal	methods

Biopodal modilodo		
Waste from residues	: Dispose of in accordance with local regulations.	
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. 	

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s.



Krytox[™] XHT-AC

Version	Revision Date:	SDS Number:	Date of last issue: 06/15/2022
6.0	11/08/2022	1790002-00015	Date of first issue: 06/26/2017
Labels ERG (Code e pollutant	SIZES WHEF	te) INFORMATION ONLY APPLIES TO PACKAGE RE THE HAZARDOUS SUBSTANCE MEETS TABLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium nitrite	7632-00-0	100	5050

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards				
SARA 313	:	The following components are subject to reporting levels e tablished by SARA Title III, Section 313:		reporting levels es-		
		Sodium nitrite	7632-00-0	>= 1 - < 5 %		

Sodium nitrite 7632-00-0

US State Regulations

Pennsylvania Right To Know

PFPE fluid Fluoropolymer Sodium nitrite

Trade secret Trade secret 7632-00-0

California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

California List of Hazardous Substances

Sodium nitrite

7632-00-0



Krytox[™] XHT-AC


Version	Revision Date:	SDS Number:	Date of last issue: 06/15/2022				
6.0	11/08/2022	1790002-00015	Date of first issue: 06/26/2017				
Additional regulatory information							

Sodium nitrite 7632-00-0 The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. See 40 CFR § 721.4740

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average



Krytox[™] XHT-AC

Version	Revision Date:	SDS Number:	Date of last issue: 06/15/2022
6.0	11/08/2022	1790002-00015	Date of first issue: 06/26/2017

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 11/08/2022

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.