

Versio 4.1	on	Revision Date: 05/01/2023		OS Number: 83231-00011	Date of last issue: 10/24/2022 Date of first issue: 02/15/2018		
SECT	SECTION 1. IDENTIFICATION						
F	Product name		:	Krytox™ FPG 182			
F	Product code		:	D15437894			
S	SDS-Id	entcode	:	130000118621			
r	Manufa	acturer or supplier's	deta	ails			
C	Compa	ny name of supplier	:	The Chemours Company FC, LLC			
Å	Addres	S	:	1007 Market Stre Wilmington, DE 1	et 9801 United States of America (USA)		
٦	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)			
E	Emerge	ency telephone	:		cy: 1-866-595-1473 (outside the U.S. 1-302- nsport emergency: +1-800-424-9300 (outside 527-3887)		
F	Recom	mended use of the c	hen	nical and restriction	ons on use		
F	Recom	mended use	:	Lubricant			
F	Restric	tions on use	:	tions involving im internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

SAFETY DATA SHEET



Krytox™ FPG 182

ii innaled	·	Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness Inhalation may provoke the following symptoms: Irritation Shortness of breath
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Fluorine compounds Carbon oxides Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds



Version 4.1	Revision Date: 05/01/2023		OS Number: 83231-00011	Date of last issue: 10/24/2022 Date of first issue: 02/15/2018			
			aerosolized partic Nitrogen oxides (I Metal oxides				
Speci ods	ific extinguishing meth-	:	cumstances and t Use water spray t	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do			
	Special protective equipment for fire-fighters		 Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment. 				
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES				
tive e	onal precautions, protec- quipment and emer- / procedures	:		ing advice (see section 7) and personal pro- t recommendations (see section 8).			
Envir	onmental precautions	:	Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages			
	ods and materials for inment and cleaning up	:	For large spills, p ment to keep mat pumped, store rea	t absorbent material. rovide diking or other appropriate contain- erial from spreading. If diked material can be covered material in appropriate container. ng materials from spill with suitable absor-			

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe decomposition products.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the

certain local or national requirements.

sal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding



Version 4.1	Revision Date: 05/01/2023	SDS Number: 2383231-00011	Date of last issue: 10/24/2022 Date of first issue: 02/15/2018
		environment	
Conditions for safe storage			perly labeled containers. Ordance with the particular national regulations.
Mat	erials to avoid	: No special re	estrictions on storage with other products.
	ther information on stor- stability	: No decompo	sition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm	ACGIH
			(Fluorine)	
		С	2 ppm	ACGIH
			(Fluorine)	
		С	6 ppm	NIOSH REL
			5 mg/m ³	
		TWA	3 ppm	NIOSH REL
			2.5 mg/m ³	
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
-				
		STEL	5 ppm	ACGIH
		TWA	2 ppm	NIOSH REL
			5 mg/m ³	
		ST	5 ppm	NIOSH REL
			15 mg/m ³	
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm	NIOSH REL
			9,000 mg/m ³	
		ST	30,000 ppm	NIOSH REL
			54,000 mg/m ³	
		TWA	5,000 ppm	OSHA Z-1
			9,000 mg/m ³	
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm	NIOSH REL
			40 mg/m ³	
		С	200 ppm	NIOSH REL
			229 mg/m ³	
		TWA	50 ppm	OSHA Z-1



Versio 4.1	on Revision Date: 05/01/2023		DS Number:Date of last issue: 10/24/2022383231-00011Date of first issue: 02/15/2018
			55 mg/m³
E	Engineering measures	:	Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.
F	Personal protective equip	oment	
F	Respiratory protection	:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazar- dous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
ŀ	Hand protection		
	Remarks	:	Wash hands before breaks and at the end of workday.
E	Eye protection	:	Wear the following personal protective equipment: Safety glasses
5	Skin and body protection	:	Skin should be washed after contact.
ŀ	Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the wor- king place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C



Vers 4.1	sion	Revision Date: 05/01/2023		S Number: 3231-00011	Date of last issue: 10/24/2022 Date of first issue: 02/15/2018
	Initial be range	oiling point and boiling	:	No data available	
	Flash p	oint	:	Not applicable	
	Evapora	ation rate	:	Not applicable	
	Flamma	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	1.89 - 1.93	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available	
	Decom	position temperature	:	500 °F / 260 °C	
	Viscosi Visc	ty osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Particle	size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

SAFETY DATA SHEET



Krytox[™] FPG 182

ersion .1	Revision Date: 05/01/2023	SDS Number: 2383231-00011	Date of last issue: 10/24/2022 Date of first issue: 02/15/2018
	rdous decomposition	n products : Hydrogen flu Carbonyl difl Carbon dioxi Carbon mon	uoride ide
ECTION	11. TOXICOLOGICA	L INFORMATION	
Skin o Inges	nation on likely rout contact tion ontact	es of exposure	
	e toxicity assified based on ava	ilable information.	
Produ			
	oral toxicity	: Assessment: icity	The substance or mixture has no acute oral tox
Acute	inhalation toxicity	Exposure tim Test atmosph	estimate: > 200 mg/l e: 4 h here: dust/mist ulation method
<u>Com</u>	oonents:		
Sodiu	um nitrite:		
Acute	oral toxicity	: LD50 (Rat): 1	80 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 5 Exposure tim Test atmosph	
-	corrosion/irritation assified based on ava	ilable information.	
<u>Com</u>	oonents:		
Sodiu Speci Metho Resul	bd	: Rabbit : OECD Test 0 : No skin irritat	

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sodium nitrite:

Species :	Rabbit
-----------	--------



 be eyes, reversing within 21 days st Guideline 405 . <li< th=""></li<>		
n. : Bacterial reverse mutation assay (AMES) isitive : In vitro mammalian cell gene mutation test isitive : Mammalian erythrocyte micronucleus test (in vive ic assay) Mouse n Route: Intraperitoneal injection igative		
: Bacterial reverse mutation assay (AMES) sitive : In vitro mammalian cell gene mutation test sitive : Mammalian erythrocyte micronucleus test (in vive ic assay) Mouse n Route: Intraperitoneal injection		
: Bacterial reverse mutation assay (AMES) sistive : In vitro mammalian cell gene mutation test sitive : Mammalian erythrocyte micronucleus test (in vive ic assay) Mouse n Route: Intraperitoneal injection sgative		
: Bacterial reverse mutation assay (AMES) sitive : In vitro mammalian cell gene mutation test sitive : Mammalian erythrocyte micronucleus test (in viv ic assay) Mouse n Route: Intraperitoneal injection gative		
esitive : In vitro mammalian cell gene mutation test sitive : Mammalian erythrocyte micronucleus test (in viv ic assay) Mouse n Route: Intraperitoneal injection egative		
esitive : In vitro mammalian cell gene mutation test esitive : Mammalian erythrocyte micronucleus test (in vive ic assay) Mouse n Route: Intraperitoneal injection egative		
esitive : In vitro mammalian cell gene mutation test esitive : Mammalian erythrocyte micronucleus test (in vive ic assay) Mouse n Route: Intraperitoneal injection egative		
esitive : Mammalian erythrocyte micronucleus test (in vive ic assay) Mouse n Route: Intraperitoneal injection egative		
ic assay) Mouse n Route: Intraperitoneal injection gative		
: Mammalian eruthrocute micronuclous test (in viv		
n Route: Intraperitoneal injection gative		
I.		
: negative Group 2A: Probably carcinogenic to humans Sodium nitrite 7632-00-0 (nitrite (ingested) under conditions that result in endogenous nitrosation)		
litions that result in endogenous nitrosation)		
litions that result in endogenous nitrosation) of present at levels greater than or equal to 0.1% is carcinogens.		



Version 4.1	Revision Date: 05/01/2023		DS Number: 83231-00011	Date of last issue: 10/24/2022 Date of first issue: 02/15/2018
Not c	oductive toxicity lassified based on avail ponents:	able	information.	
Sodiu	um nitrite:			
Effects on fertility :		Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative		
Effect	ts on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	vo-fetal development e: Ingestion

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Sodium nitrite:

Species	:	Rat
NOAEL	:	10 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 у

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Components:	
Sodium nitrite:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	 EC50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201



/ersion 1.1	Revision Date: 05/01/2023		DS Number: 83231-00011	Date of last issue: 10/24/2022 Date of first issue: 02/15/2018
			NOEC (Scenedes mg/l Exposure time: 72 Method: OECD Te	
Toxic icity)	Toxicity to fish (Chronic tox- icity)		NOEC (Cyprinus carpio (Carp)): 21 mg/l Exposure time: 30 d Method: OECD Test Guideline 210	
	ity to daphnia and other ic invertebrates (Chron- city)	:	NOEC (Penaeid S Exposure time: 80	
Toxic	ity to microorganisms	:	EC50: 281 mg/l Exposure time: 48	3 h
	stence and degradabili	ity		
	ccumulative potential ta available			
	l ity in soil Ita available			
	adverse effects ata available			
	13. DISPOSAL CONSI	DER	ATIONS	
Dispo	osal methods			

Biopedal methedo	
Waste from residues	: Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.



Version 4.1	Revision Date: 05/01/2023	 DS Number: 83231-00011	Date of last issue: 10/24/2022 Date of first issue: 02/15/2018
Dome	stic regulation		
49 CFR UN/ID/NA number Proper shipping name Class Packing group Labels ERG Code Marine pollutant Remarks		(Sodium nitrite) 9 III CLASS 9 171 no THE ABOVE INF	nazardous substance, solid, n.o.s. ORMATION ONLY APPLIES TO PACKAGE THE HAZARDOUS SUBSTANCE MEETS BLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium nitrite	7632-00-0	100	5050

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards		No SARA Hazards			
SARA 313	:	The following components are subject to reporting leve tablished by SARA Title III, Section 313:			
		Sodium nitrite	7632-00-0	>= 1 - < 5 %	

US State Regulations

Pennsylvania Right To Know

-	
PFPE fluid	Trade secret
Fluoropolymer	Trade secret
PFPE fluid	Trade secret
Sodium nitrite	7632-00-0

California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made



0

0

0

Krytox[™] FPG 182

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2022
4.1	05/01/2023	2383231-00011	Date of first issue: 02/15/2018

with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

California List of Hazardous Substances


Sodium nitrite

7632-00-0

Additional regulatory information

Sodium nitrite 7632-00-0 The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. See 40 CFR § 721.4740

SECTION 16. OTHER INFORMATION



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
OSHA Z-2 ACGIH / TWA ACGIH / STEL	:	its for Air Contaminants USA. Occupational Exposure Limits (OSHA) - Table Z-2 8-hour, time-weighted average Short-term exposure limit
ACGIH / C NIOSH REL / TWA		Ceiling limit Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek



Krytox[™] FPG 182

Version 4.1	Revision Date: 05/01/2023		DS Number: 83231-00011	Date of last issue: 10/24/2022 Date of first issue: 02/15/2018
NIOSH	I REL / ST	:	STEL - 15-minute at any time during	e TWA exposure that should not be exceeded
OSHA	I REL / C Z-1 / TWA Z-2 / TWA	:	Ceiling value not 8-hour time weigh 8-hour time weigh	

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to : compile the Material Safety	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
Data Sheet	cy, http://echa.europa.eu/

Revision Date : 05/01/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

SAFETY DATA SHEET



Krytox[™] FPG 182

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2022
4.1	05/01/2023	2383231-00011	Date of first issue: 02/15/2018

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8